ANDOVER TOWSHIP LAND USE BOARD CHECK LIST #1 -- GENERAL REQUIREMENTS.

Appli	151 Lot ²¹		ė	
This c	hecklist is for general reference only. Further information may be ving authority. The following designations are to be used when corprovided; NA not applicable; W waiver requested	requi nplet	red by thing the c	ne hecklist:
Item	Application Requirements	App	licant	Board
No:	· * · · · ·		,	
1.	Sixteen (16) copies of completed application form, signed and notarized, inclusive of items in this checklist	1	NA ATTACHED	
.2.	Sixteen (16) copies of plans, maps, and construction details as required (see appropriate checklist) All plats shall be certified, signed and sealed.	1	NA.' ATTACHED	
.3.	-Fees and escrow deposit in two separate checks made payable to Andover Township. A W-9 form is required if escrow amount is \$5,000 or more	✓.	NA ATTACHED	
4.	Itemized calculation of fees and escrow	√	NA ATTACHED	
`5.	Certification of Township Tax Collector that all taxes and assessments have been paid to date	1	NA ATTACHED	
6.	Site Inspection Form	√	NA TATTACHED	
·7.、	Affidavit of Ownership	1	NA ATTACHED	
8.	Corporate Form — If Applicant is a corporation or a partnership, list the names and addresses of all stockholders or individual partners owning at least 10% of its stock of any class as required by N.J.S.A. 40:55D-48.1 et seq.	1	na Attached	1
9.1	County and State agency applications for approval - proof of submission	√ .	NA ATTACHED	l
10.	Copy of deed to the current owner including any easements or restrictions to use of property	✓	NA' ATTACHED	
11.	Narrative of application and a list of all variance and waiver requests including statement of reasons why variance/waivers should be granted		NA ATTACHED	
12.	CD containing PDF files of plans, maps, and details	\	NA ATIACHED	
13.	Completed check list for the following: (Check one or more as necessary)		_	
	Checklist #2: Minor Subdivision			
	Checklist #3: Preliminary Major Subdivision			
	Checklist #4: Final Major Subdivision			
	Checklist #5: Site Plan and Conditional Use			
	Checklist #6: Final Site Plan		•	
A R	Checklist #7: Variance Administrative Appeal Ordinance Interpretation Bulk or other "C" variance Use Variance	r 34.	¥	<i>s</i> *
نەنى* ⊯ ي	Checklist #8: Lot Line Adjustment		نو	-
	Checklist #9: Site Plan Waiver Note: Applications for amended plans require submission of the checklist associated with the original application.		**	* \

ANDOVER CODE

Checklist #5 - Preliminary Şite Plan - Conditional Use

Applicant: BHT Properties, L	LC; c/o Ram Adar	File No	<u> </u>
Block 151	Lot 21	•	ž

This checklist is for general reference only. Further information may be required by the reviewing authority. The following designations are to be used when completing the checklist:

 $\sqrt{-p^2}$ rovided; NA = not applicable; W = waiver requested.

The applicant shall provide a written statement justifying the waiver request or why a checklist item is not applicable.

Item		4	1
No.	Application Requirements	Applicant	Board
. 1.	Sixteen copies of preliminary site plant clearly drawn, certified and sealed by New Jersey licensed land surveyor at a scale not smaller than 1 inch equals 30 feet showing metes and bounds of entire tract.	. ✓	
2.	Sheet Sizes; 11" x 17", 24" x 36", 30" x 42". Folded to show title block.	. V	•
3 ,	The plans should contain the following: A. Name of Development B. Name, address and phone number of Owner C. Name, address and phone number of Applicant D. Date of Preparation E. Block and Lot(s) to be developed F. Name & Address, signature, seal, and license number of person(s) preparing the map G. Graphic and written scale, north arrow and reference meridian H. Revision box & date of each revision	, V	•
4.	Title block stating type of application, name of development, name of municipality, block and lot and street location.	Ţ	
.5. ·	Names of property owners within 200 feet of subject property, their block and lot designation, per the most recent tax record. Include a copy of the certified list of property owners obtained from the tax assessor.	,	
, 6.	Any municipal limits within 200' of the development and the names of the adjoining municipalities.	. \	
7.	Key map showing location of entire tract and 500' outside of the perimeter of the subject property with portion being subdivided delineated, and including the following: a. Block and lot of subject premises and adjoining properties b. Adjoining street(s), their name(s), and R.O.W. width(s) c. Scale of not less than one inch equals 400 feet; North arrow d. Delineated zone districts with designation	W	

	* *		
100	LA	*	
8.	Appropriate approval blocks. The plans shall include a signature	1	}
ж.	block for the Andover Township Land Use Board:		1
1.	(non-overs by myss (s. movers)	39	,
	APPROVED BY THE ANDOVER		
ļ*	TOWNSHIP LAND USE BOARD	از ا	
1 .	<u> </u>	, V., **,	
,	Land Use Board Chairperson Date:	•	
	47 5	F	
•	Land Use Board Secretary Date		_
ł	*		
-	Land Use Board Engineer Date	98 ps.	
9.	Zone Data Box showing:	,	,
, -	A. Zone Districts	√ '.	'
	B. Required and proposed for each lot:	V.	it ,
	1. Lot area	7. 7	
¢.	2. Lot width	• • •	
		7,	7.
	3. Building height	* Y	<u> </u>
	4. Structure Lot coverage and floor area ratio	N.	
1.	5. Setbacks, front, rear and side (accessory structures as required)	<u>ν,</u>	,
,	6. Parking, impervious surface and any other applicable zone	J.	
	requirements		
10.	Tract Information:	1	_
* *	a: Area in square feet, and acres to the nearest hundredth, of		
	the entire tract and all existing and proposed lots, and right-	V	
,	of-way dedications.	1 .	
	b. Entire tract boundary (heavy solid line), existing and	,	,
	proposed property lipes within the tract with distances in	,	l.
•		* √	
	feet (to the nearest 0.01 feet) and bearings to the nearest	,	
	, second.		75.
	c. Open space, buffer zones, recreation areas, Municipal and		
	public areas and lands to be reserved or conveyed to the	N/A, _{**}	
	Township.		2 .
	d. Existing and proposed easements including sight, utility,] ···	
	access, conservation, drainage, slope and any other types of	\ \	
بد	easements as appropriate:		
11.	Building envelopes excluding buffers and restricted areas showing	,`	
	delineated setback lines for each lot based on zone requirements.	1 √ 2	
12.	Location of proposed structures showing setbacks required and	, T.	
12,		. √	•
12	distances from existing and proposed property lines.		1
13	Location of all structures (principal and accessory structures,	1	
	driveways, parking areas, etc.) on, and within 200 feet of the	, V	
	existing tract boundaries with dimensions to existing property lines.		
14.	Lot width at street line of lot created; road frontage of remainder	1"	
	portion, cartway width; and right of way width and name of road	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	on which property fronts.		
15.	Location and size of existing and proposed utilities onsite and within]	
	200 feet of the site with easement of right of way (if any) including:		İ
	A. Sanitary sewers or septic systems		,
)	B. Storm drains with grate and invert information	,	1.
]*	C. Public water or wells	√	, sr
*	D: Gas		1
	ETelephone	<u> </u>	. %.
- 	F. Electricity	. •	1
	G. Cable TV	-	İ
- 16	Location of any railroad tracks, bridges, culverts, driveways,	, ,	
16.		√	_ *
	sidewalks, parking spaces, etc.		, T-

17.	Existing and proposed contours within 200 feet at ten-foot intervals		
,	for slopes at or over twenty-five percent grade and at two-foot	1 1	
-	intervals for less than twenty-five percent grade. Provide spot	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	Ĭ
1	elevations and top and bottom of wall elevations.	3.	
18.	Soil classification data as mapped by the USDA Soil Conservation	* 🗤	•
	Service in Soil Survey of Sussex County.	, V	
19.	Location and description of monuments, whether set or to be set.	N/A	
20.	A copy of all existing protective covenants or deed restrictions	,	
*	affecting the property and a statement as to whether such deeds or	, -	
	covenants are of record. Include a copy of the original deed	V	
	documents.		
21.	An electronic copy of plans in .DWG format of a compatible format.	` \	
22.	Copies of applications to Sussex County Planning Board, Sussex	↓	
1	County Soil Conservation District, and/or NJDOT, if applicable.	V	
23.	One of the following:		
	(a) A letter of interpretation from the N.J.D.E.P. indicating the		
'	absence of freshwater wetlands, or indicating the presence and	N/A	
1	verifying delineation of the boundaries of freshwater wetlands, or		
	(b) A letter of exemption from the N.J.D.E.P. certifying that the		
	proposed activity is exempt from the Freshwater Wetlands	√	
Ī	Protection Act, and regulations promulgated thereunder, or,		
.	(c) A copy of any application made to the N.J.D.E.P. for any permit		
	concerning a proposed regulated activity in or around freshwater	√	
	wetlands	`	
ļ			
Note:	The Land Use Board may waive the above requirements upon		
	receipt of a letter by a certified wetland scientist that no wetlands		
	exist on site, in close proximity to the subject property, on adjacent		
	properties, on contiguous property owned by the Applicant, or on		
	large properties, if the area of disturbance resulting from the project		
1	is clearly outside the limits of disturbance, all subject to approval by		
	the Land Use Board Engineer.		
24.	Depict critical areas and historic preservation districts.	V ,	
25.	Percolation or permeability test(s) results witnessed by the Sussex		
	'County Health Department along with a certification by the engineer'	,	
	that each lot can support septic systems in accordance with NJAC,	V-	
	7:9A. The following shall be included:	•	-
1	A. Two (2) soil logs per lot	1	
	B. Permeability results for one of the test holes.	V	
	C. Location of test holes	7	
 *	D. Approximate location of primary disposal bed.	J	
26.	Plats involving a corner lot or lots, the required sight triangle) I/A	
- 20.	easements.	N/A	
27.	Plans and computations for any storm drainage systems according to	-	
, , , ,	the Residential Site Improvement Standard, including drainage area	1	
	map and the following:	* -	
	A. The size, profile and direction of flow of all existing and		
	proposed storm sewer lines within or adjacent to the tract and the	.,,,	
	location of each catch basin, inlet, manhole, culvert and headwall	N/A	
1	with the invert elevations of each.	İ	
.]	B. The location and extent of any proposed dry wells, ground water		
	recharge basins, detention basins or other water or soil conservation	<i>N</i>	
5	devices.	"	
28.	For residential development compliance with the New Residential		
1 20.	Construction Off-Site Conditions Disclosure Act.	N/Ą	
L	production of one condition production		

2

#277 ...,

29.	When a stream is proposed for alteration, improvement, or relocation, or when a drainage structure or fill is proposed over, under, in or along a running stream, and when the N.J.D.E.P. does not have jurisdiction, the following information shall be submitted:	N/A	
	A. Acreage of the drainage basin of any water course running through the property.	N/A	
	B. Delineation of the floodway, flood hazard area, and stream encroachment line, within the subject tract.	N/A	
	C. Hydraulic and hydrologic calculations supporting the determination of the floodway, flood hazard area and stream encroachment line including stream profiles, cross-sections of the affected stream.	N/A	
	All information and calculations submitted shall be in accordance with the requirements of the N.J.D.E.P.	N/A	A
30.	Natural features on site, and within 200 feet of the site:	V	
	A. Cliffs ,rock outcroppings and wooded areas	V	
	B. Flood hazard area delineation based on NJDEP and FEMA mapping	1	B 20
	C. Freshwater Wetlands, Transition Areas and vernal pools	V	
	D. Natural and artificial watercourses, streams, shorelines and water boundaries and encroachment lines	1	
	E. Aquifer recharge areas, including safe sustained ground water yield	V	
	F. Areas in which construction is precluded due to presence of stream corridors and/or steep slopes	V	- K
	G. All areas to be disturbed by grading or construction	V	
31.	Delineation of steep slopes at the following categories: (i) 20% to 24.99% (ii) 25% to 34.99% (iii) 35% or greater	√ √	
32.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 32; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories.	1	
33.	Limits of disturbance for all construction activities	V	
34.	Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13.	V	
35.	Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit.	W	
36.	Tree permitting plan in accordance with Ordinance Chapter 170	N/A	
37.	Plan and Profile of existing and proposed roadways including:	N/A	
	A. Location of edge of pavement, traffic striping and centerline	N/A	
	B. Roadway Names	N/A	
	C. Roadway and Right-of-Way width	N/A	
	D. Curbs, sidewalks and Guide Rail	N/A	
		1	
	E. Drainage and Sanitary Sewer structures and piping (water mains?)	N/A	
		N/A	
	mains?)	N/A N/A	-
	mains?) F. All utilities including feasible connection points	N/A	

*); ¹⁰ ξ 5.	38.	For public sewer and water, public or private utility letter verifying hook-up availability	* W	,
,	39.	Roadway cross sections every fifty feet along the centerline alignment	N/A	
	40.	Circulation plans including existing and proposed streets, curbs, aisles, lanes, driveways, fire lanes, parking spaces, loading areas, walks, etc., indicating dimensions and material types.	·	<u>.</u>
	41.	Signage, including location of signs and appropriate detail such as size, height, materials and lighting.	V: *	
x	42.	Soil erosion and sediment control plan (see Ordinance Chapter, 136)	1 1	
' ~	43.,	Sketch of any anticipated future road systems for preliminary plats		
¥ .		that cover only a portion of the site thereof. Include all locations considered suitable for future connections to other adjoining tracts.	ŅĄ	7 _K
	44.	Earthwork summary and estimate of off-site borrow or export material.	√	И
'%	45.	Landscape Plan including the types, quantity, size and location of all	*	
₹ ×		proposed plantings. The scientific and common names shall be	, 1	
41		included. Include buffering plan showing berms, fences and	£ •	
may a		construction details.		
	46.	Lighting Plan including the fixture types, pole types, mounting	-	
		heights, direction, shielding, wattage, isolux patterns, time of		
و م د.	š	operation and footing details. The Lighting Plan shall also show the	. √.	i-d
		minimum required footcandle isolux patterns superimposed on the		•
**		proposed development plan to ensure proper lighting distribution.		
and the second	47.	Fire Protection Plans and Details including the proposed units,		
,	***	available water supply, storage tanks, watermain size, flow and	Sē:	[]
	, y-	hydrant/tank locations. (see Ordinance §159-7E)		
	48.	Location of material storage, equipment storage, storage trailers,	* 1	
	*	stockpiles, waste material (stumps, rocks, construction debris, etc.)	, v	
	49.	Location of model home, temporary sales office, construction office,		
	1.5.	temporary parking, landscaping, lighting, fencing, sanitary facilities	Ŵ	
,		and signs.		
	50.	Provisions for solid waste handling including dumpster location and	1	
ı		details (screening, fencing, etc.)	. 1	
* •	,51.	Compliance with A.D.A. requirements.	. 1	
•	52.	Preliminary architectural plans and elevations depicting		
	J	dimensioned floor plans and building height, rooftop mechanical	x	()
		unit screening, and general materials and colors.		ĺ
,	´ 53:	Off-Site or Public Improvements Plan at a scale sufficient to allow a)	
	Jų.	thorough engineering review.	N/A `	
**	54:	Organization documents, including:		
υ <u>.</u>	J	A. Article of Incorporation for any Homeowners Assoc.,		·
الأخراج	:	Condominium Association, or other organization to maintain the	Ņ/A.	
		common open space or community facilities.	, w,	
a ^{ri} ·		B. By-Laws and Membership Rules and Regulations of any such	·	
		organization, defining its rights.	N/A	
		C. A copy of the Master Deed detailing the rights and privileges of	· · · · ·	*
		individual owners of common property.	ŇÂ;	
e. 1		D. A copy of all materials submitted to the Dept, of Community	<u> </u>	
		Affairs as required by the N.J. Planned Real Estate Development	NI/A	
) _{(K} , x ³ / ₂ ,		Full Disclosure Act. Regulations and evidence of the status of	N/A	· .
* **		acceptance of and/or approval by the Dept. of Community Affairs.		
* **		E. Covenants or easements restricting the use of the common open	3,1/5	
7		space element.	, N/A	y , ,
		F. Covenants or agreements requiring homeowners or residents to	,	
١ 😝 🗍	*,	pay the organization for the maintenance of the common open space	*	
*	3	and/or community facilities. This shall include a proposed schedule	Ņ/A	
400 00 00		of membership fees for at least the first three years of operation.	\$ ** ***	`
	:55.	Copies of the proposed developers agreement, if any	N/A	
^* (**	56.	Construction details	. 1	
and the state of t	57:	The first floor elevation of any existing and proposed building(s)	V *	
		· · · · · · · · · · · · · · · · · · ·		

7, 8

7

58.	Written description of proposed use of land and buildings,	* * * *	1
}	including number of employees, hours of operation, truck traffic,		1
	emission of noise, glare, air and water pollution, safety hazards, and	- ".	1 1
*	description of industrial processes.	к	1
59.,	If applicant plans to warehouse, store, wholesale or sell any		
ſ	materials listed in Ordinance § 190-54, describe in détail the	N/A	
}	proposed use, storage and estimated annual quantities and answer all	N/A	1
-	pertinent details as described in Ordinance § 131-8C(24).		
60.	Three copies of the appropriate application form(s), completely	, ,	·1
]	filled in. If any item is not applicable to the Applicant, it should so	1 1 5	
	be indicated on the application form(s). If completeness waivers are	ν, ν,	[
1	sought, explain, in writing, why waivers should be granted.	f	
61.	Locate any public or private well, including block and lot, within	4	
, *	500 feet of the property line.	W *	

ž

đ,

<u>k</u>

FF.

§.

ANDOVER CODE

3 Checklist #6,- Final Sitè Plan - Conditional Use

Applicant: BHT, Properties, LLC	; c/o Ram Adar	File No.	
Block .151	Lot <u>21</u> .		*

This checklist is for general reference only. Further information may be required by the reviewing authority. The following designations are to be used when completing the checklist:

√- provided; NA - not applicable; W - waiver requested.

The applicant shall provide a written statement justifying the waiver request or why a checklist item is not applicable.

Item	,		
No.	Application Requirements	Applicant T	Board
1.	Sixteen certified copies of as-built plans showing the location of all improvements, as required in Ordinance § 131-21, including final engineering and architectural information (construction details), at a scale not smaller than one inch equals 30 feet. Provide one complete set of plans, report, etc in electronic format.	١	,
2.	Sheet Sizes; 11" x 17", 24" x 36", 30" x 42". Folded to show title block.	. 7	
3.	The plans should contain the following: A. Name of Development B. Name, address and phone number of Owner C. Name; address and phone number of Applicant	3	2,
N.	D. Date of Preparation E. Block and Lot(s) to be developed F. Name & Address, signature, seal, and license number of person(s) preparing the map G. Graphic and written scale, north arrow and reference meridian H. Revision box & date of each revision	· √·	
4.	Title block stating type of application, name of development, name of municipality, block and lot and street location.	1	
5.	Names of property owners within 200 feet of subject property, their block and lot designation, per the most recent tax record. Include a copy of the certified list of property owners obtained from the tax assessor.	Ų.	
· 6.	Any municipal limits within 200' of the development and the names of the adjoining municipalities.	. 1	
7.	Key map showing location of entire tract and 500? outside of the perimeter of the subject property with portion being subdivided delineated, and including the following: a. Block and lot of subject premises and adjoining properties b. Adjoining street(s), their name(s), and R.O.W. width(s) e. Scale of not less than one inch equals 400 feet; North arrow d. Delineated zone districts with designation	· W	, *,

APA 3	· · · · · · · · · · · · · · · · · · ·		
8.	Appropriate approval blocks. The plans shall include a signature		
	block for the Andover Township Land Use Board:	,	
1	blook for the railed for Township Danie Ose Double.		
***	t annual man are man a subtraction		
1	APPROVED BY THE ANDOVER	1	
1.	TOWNSHIP LAND USE BOARD	* * *	
	Land Use Board Chairperson Date	1	.
		,	
1	Total Tipe Discussions Details	160	["
	Land Use Board Secretary Date		[
ļ* ,		***	
	Land Use Board Engineer Date		
	, , , ,	, ,	* *,
9.	Zone Data Box showing:	∜ .	****
1	A. Zone Districts ,	<u> </u>	
-		 	<u>*</u>
	B. Required and proposed for each lot:	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
	1. Lot area	l. V	s •
1	2. Lot width	√ e	
1.	3. Building height	1	
ľ '		• 5	- · ·
	4. Structure Lot coverage and floor area ratio	- V	<u> </u>
1	5. Setbacks, front, rear and side (accessory structures as required)	* × V	
	6. Parking, impervious surface and any other applicable zone		
	requirements		,
. 10.	Tract Information:	, ,	*
10.	l ,	√	
•	a. Area in square feet, and acres to the nearest hundredth, of		
	the entire tract and all existing and proposed lots, and right-	}	1
	of-way dedications.		,
	b. Entire tract boundary (heavy solid line), existing and	, 1	
1	proposed property lines within the tract with distances in	l v	·
.†		,	Í
lk.	feet (to the nearest 0.01 feet) and bearings to the nearest	h	
İ	second.		* * * * * * * * * * * * * * * * * * * *
٠.	c. Open space, buffer zones, recreation areas, Municipal and	31/4	,
}	public areas and lands to be reserved or conveyed to the	"N/A"	
	Township.	j	
· '			7 7
į	d. Existing and proposed easements including sight, utility,	-1	
]	access, conservation, drainage, slope and any other types of	V	
`L	easements as appropriate.		
11.	Building envelopes excluding buffers and restricted areas showing	. ,	
	delineated setback lines for each lot based on zone requirements.	V	
12		* * * * * * * * * * * * * * * * * * * *	
_y , 12.	Location of proposed structures showing setbacks required and	√	
<u> - </u>	distances from existing and proposed property lines:		
13.	Location of all structures on, and within 200 feet of the existing tract	1 1	`
	boundaries with dimensions to existing property lines.	Y .	l
14.	Lot width at street line of lot created; road frontage of remainder		
1 . "	portion; cartway width; and width and name of right-of-way on	√ .	ļĺ
		•	
\ \ \ \ \	which property fronts.		
15 .	Location and size of existing and proposed utilities onsite and within	·	
} .	200 feet of the site with easement or right of way (if any) including:	l. '	
	A. Sanitary sewers or septic systems		,
	B. Storm drains with grate and invert information		.
	C. Public water, water mains, and wells	√ _	
		*	
	D. Gas		_
i	E. Telephone	1	, *
1		1	r i
] ,	F. Electricity	1	į
- 4	F. Electricity G. Cable TV	×	* .
*16.	G. Cable TV	1 1	F
* 16.		√ ·′	£

٠,

₹.,

:

	, , , , , , , , , , , , , , , , , , , ,	,	
17.	Existing and proposed contours within 200 feet at ten-foot intervals	1	***
* 1	for slopes at or over twenty-five percent grade and at two-foot	1 1	
"	intervals for less than twenty-five percent grade. Provide spot	' '	
[, .	elevations and top and bottom of wall elevations.		
18.	Soil classification data as mapped by the USDA Soil Conservation	1	
- 07	Service in Soil Survey of Sussex County.	\ \ \ \ \ \	as v
19.	Location and description of monuments, whether set or to be set.	. N/A	
20.	A copy of all existing protective covenants or deed restrictions	,	
. 20.	affecting the property and a statement as to whether such deeds or	1 , 1	
	covenants are of record. Include a copy of the original deed	1	
	documents.		
² 21.	An electronic copy of plans in .DWG format or a compatible format.	1 1	•
		 	
22.	Copies of applications to Sussex County Planning Board, Sussex	1	
	County Soil Conservation District, and/or NJDOT, if applicable.	<u> </u>	
23.	One of the following:		
	(a) A letter of interpretation from the N.J.D.E.P. indicating the	N/A	
	absence of freshwater wetlands, or indicating the presence and	N/A	
	verifying delineation of the boundaries of freshwater wetlands, or		
[(b) A letter of exemption from the N.J.D.E, P. certifying that the	[,	
	proposed activity is exempt from the Freshwater Wetlands	1	
	Protection Act, and regulations promulgated thereunder, or,	ţ ,	
	(c) A copy of any application made to the N.J.D.E.P. for any permit	, .	-
1	concerning a proposed regulated activity in or around freshwater	1 √.	
	wetlands] '	7
	*		*
Note:	The Land Use Board may waive the above requirements upon		
11010.	receipt of a letter by a certified wetland scientist that no wetlands	1	
	exist on site, in close proximity to the subject property, on adjacent]	
	properties, on contiguous property owned by the Applicant, or on		*
1	large properties, if the area of disturbance resulting from the project		
].			
1	is clearly outside the limits of disturbance, all subject to approval by		
	the Land Use Board Engineer.	 -	
.24.	Depict critical areas and historic preservation districts.	V .	
25.	Percolation or permeability test(s) results witnessed by the Sussex	}	
i i	County Health Department along with a certification by the engineer		
2.	that each lot can support septic systems in accordance with NIAC) ,	
<u> </u> .[7:9A. The following shall be included:	<u> </u>	
	A. Two (2) soil logs per lot `	│	
[B. Permeability results for one of the test holes.	<u> </u>	
[C. Location of test holes	V	
	D. Approximate location of primary disposal bed.	7.1	-
26.	Plats involving a corner lot or lots, the required sight triangle	x	
[~~·	easements.	N/A	
27.	Plans and computations for any storm drainage systems according to		
~ /·			
.* -	the Residential Site Improvement Standard, including drainage area	Ŋ	
	map and the following:	ж.	
	A. The size, profile and direction of flow of all existing and		
	proposed storm sewer lines within or adjacent to the tract and the	N/A	
-	location of each catch basin, inlet, manhole, culvert and headwall-		
	with the invert elevations of each.		
	B. The location and extent of any proposed dry wells, ground water		
1			
.	recharge basins, detention basins or other water or soil conservation	V	
· .	recharge basins, detention basins or other water or soil conservation devices.	٧	
28.	recharge basins, detention basins or other water or soil conservation	,N/A	·

£

	3 2 2 3		
29.	When a stream is proposed for alteration, improvement, or		`
	relocation, or when a drainage structure or fill is proposed over,		
1	relocation, of when a dramage structure of this proposed over,	N/A· *	}
 `	under; in or along a running stream, and when the N.J.D.E.P. does		1 .
4	not have jurisdiction, the following information shall be submitted: 4	*	***
ير في	A. Acreage of the drainage basin of any water course running.	N1/A	
1 '	through the property.	N/A	
			A
1	B. Delinéation of the floodway, flood hazard area, and stream	- N/A *	:
	encroachment line, within the subject tract.		•
1 1	C. Hydraulic and hydrologic calculations supporting the	*	•
1	determination of the floodway, flood hazard area and stream		
	encroachment line including stream profiles, cross-sections of the	N/A° ·	
	affected stream.	*	
	·All information and calculations submitted shall be in accordance	NI/A	1
	with the requirements of the N.J.D.E.P.	Ν̈́\Ϋ́	
30.	Natural features on site, and within 200 feet of the site:		
30.			
*	A. Cliffs and rock outcroppings; and wooded areas	V	
	B. Flood hazard area delineation based on NJDEP and FEMA	,	
	mapping	~	
		J + *	
	C. Freshwater Wetlands, Transition Areas and vernal pools	* V	
1 .	D. Natural and artificial watercourses, streams, shorelines and	*-J*	
	water boundaries and encroachment lines	_ v	
	E. Aquifer recharge areas, including safe sustained ground water	2 , j si	
		` V	İ.
1	yield	,	*
1	F. Areas in which construction is precluded due to presence of	- 1	
	stream corridors and/or steep slopes	V	
	G. All areas to be disturbed by grading or construction	7	
		, v	t
31.	Delineation of steep slopes at the following categories:		
1	(j) 20% to 24.99% ·	-1	
	(ii) 25% to 34.99%	, v	
		•	
	(iii) 35% or greater		l -
* «··	(iii) 35% or greater	* ,	-
32.	Slope disturbance table setting forth	* ,	T
32.		* ;	,
32.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of	* ,	7
32.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31;	√°.	,
32.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31; (b) the proposed areas of steep slope disturbance, in square	√x	
32.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and	√ ^x	,
32.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31; (b) the proposed areas of steep slope disturbance, in square	√x	,
32.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the	√x	,
	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories.	√x ,	,
	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities	√x , √	
	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per	- - \ \ - \ - \ - \ - \ - \ - \ - \ - \ -	
	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13.	√°.	
.33. 34.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13.	- - \ \ - \ - \ - \ - \ - \ - \ - \ - \ -	,
	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance	- - \ \ - \ - \ - \ - \ - \ - \ - \ - \ -	,
.33. 34.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design	, <u>\</u>	,
.33. 34.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted	- - \ \ - \ - \ - \ - \ - \ - \ - \ - \ -	,
.33. 34.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no	, <u>\</u>	,
.33. 34.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted	, V , V , W	, a
.33. 34. .35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit.	, V , V , W	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170	. √ . √ . W	
.33. 34. .35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including:	√ √ √ N/A √ N/A	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170	. √ . √ . W	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item #31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A. Location of edge of pavement, traffic striping and centerline	√ √ √ √ √ √ √ √ √ √ A √ A	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A. Location of edge of pavement, traffic striping and centerline B. Roadway Names	√ √ √ N/A · N/A · N/A	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway and Right-of-Way width	√ √ √ N/A · N/A · N/A · N/A · N/A	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A. Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail	√ √ √ N/A N/A N/A N/A N/A	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway and Right-of-Way width	√ √ √ N/A N/A N/A N/A N/A N/A	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A. Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Drainage and Sanitary Sewer structures and piping	√ √ √ N/A N/A N/A N/A N/A N/A	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Drainage and Sanitary Sewer structures and piping F. All utilities including feasible connection points	N/A N/A N/A N/A N/A N/A N/A N/A	
33. 34. 35.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted-limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A. Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Drainage and Sanitary Sewer structures and piping F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation	V V N/A N/A N/A N/A N/A N/A N/A N/A	
33. 34. 35. 36. 37.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A. Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Drainage and Sanitary Sewer structures and piping F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation H. Low and high points along profile	√ √ √ N/A N/A N/A N/A N/A N/A N/A N/A	
33. 34. 35. 36. 37.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted-limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A. Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Drainage and Sanitary Sewer structures and piping F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation	V V N/A N/A N/A N/A N/A N/A N/A N/A	
33. 34. 35. 36. 37.	Slope disturbance table setting forth (a) the existing areas of steep slopes, in square feet in each of the categories set in item # 31; (b) the proposed areas of steep slope disturbance, in square feet, in each of the aforesaid categories; and (c) the percentage of steep slope disturbance in each of the aforesaid categories. Limits of disturbance for all construction activities Environmental Impact Statement, applicability determined per Ordinance §131-12, contents as described in §131-13. Existing and proposed driveway locations with sight distance profiles. Sight distances shall conform to AASHTO sight design standards, or applicable Municipal Ordinance, based on posted speed limits. A design speed of 50 MPH shall be used if there is no posted limit. Tree permitting plan in accordance with Ordinance Chapter 170 Plan and Profile of existing and proposed roadways including: A. Location of edge of pavement, traffic striping and centerline B. Roadway Names C. Roadway and Right-of-Way width D. Curbs, sidewalks and Guide Rail E. Drainage and Sanitary Sewer structures and piping F. All utilities including feasible connection points G. Horizontal and Vertical Alignment annotation H. Low and high points along profile	√ √ √ N/A N/A N/A N/A N/A N/A N/A N/A	

*3

ξ

ş

ŝ

· .: 4

z,

	4 2		4
38.	Roadway cross sections every fifty feet along the centerline alignment	N/A	e e
30	Circulation plans including existing and proposed streets, curbs,		ļ: · · · · · ·
39.		N/A	
1 .	aisles, lanes, driveways, fire lanes, parking spaces, loading areas, walks, etc., indicating dimensions and material types.	INA	1
		* * *	
40.	Signage, including location of signs and appropriate detail such as	N	1
1	size, height, materials and lighting.		
41.	Soil erosion and sediment control plan (see Ordinance Chapter. 136)	· 1/*	ļ
42.	Sketch of any anticipated future road systems for preliminary plats	N1/A	' †
1	that cover only a portion of the site thereof. Include all locations	· N/A	1
30	considered suitable for future connections to other adjoining tracts.		
43.	Earthwork summary and estimate of off-site borrow or export	√ ,	
<u> </u>	material.	* * * * * * * * * * * * * * * * * * * *	
44.	Landscape Plan including the types, quantity, size and location of all		
4	proposed plantings. The scientific and common names shall be	*V	
	included. Include buffering plan showing berms, fences and		
5 47	construction details.)	in 2	
[*] 45.	Lighting Plan including the fixture types, pole types, mounting.	· di-	1
	heights, direction, shielding, wattage, isolux patterns, time of	.1	
1	operation and footing détails: The Lighting Plan shall also show the	l v	
4	minimum required footcandle isolux patterns superimposed on the		
, ,	proposed development plan to ensure proper lighting distribution.	, , , B. A.	· · · · · · · · · · · · · · · · · · ·
46.	Fire Protection Plans and Details including the proposed units,	<u>+</u>	
	available water supply, storage tanks, watermain size, flow and	1	
45	hydrant/tank locations. (see Ordinance §159-7E)	&' 1'	
47.	Location of material storage, equipment storage, storage trailers,	× √,	
<u> </u>	stockpiles, waste material (stumps, rocks, construction debris, etc.)		
48.	Location of model home, temporary sales office, construction office,	14/	
	temporary parking, landscaping, lighting, fencing, sanitary facilities	, W	,4
40	and signs.	 *	*
,49.	Provisions for solid waste handling including dumpster location and	Ŋ	
- 50	details (screening, fencing, etc.)	J	**
50.	Compliance with A.D.A. requirements.	V	
51.	Preliminary architectural plans and elevations depicting		
	dimensioned floor plans and building height, rooftop mechanical	*	} "
- 50	equipment screening, and general materials and colors.		
52.	Off-Site or Public Improvements Plan at a scale sufficient to allow a	Ñ/A	١ , ١
52	thorough engineering review.		·
53.	Organization documents, including:		-
'	A. Article of Incorporation for any Homeowners Assoc.	N1/A	
	Condominium Association, or other organization to maintain the	N/A	
	common open space or community facilities.		<u> </u>
	B. By-Laws and Membership Rules and Regulations of any such	N/A -	4.
1	organization, defining its rights	,,,	
•	C. A copy of the Master Deed detailing the rights and privileges of	N/A	1
1	individual owners of common property.	*	 .
	D. A copy of all materials submitted to the Dept. of Community	_	
<u> </u>	Affairs as required by the N.J. Planned Real Estate Development. Full Disclosure Act. Regulations and evidence of the status of	N/A	
1	acceptance of and/or approval by the Dept. of Community Affairs.	* jus	'
'	E. Covenants or easements restricting the use of the common open		
ļ.	space element.	N/A.	·
1	F. Covenants or agreements requiring homeowners or residents to		*3
1.	pay the organization for the maintenance of the common open space	N/A	"
·~	and/or community facilities. This shall include a proposed schedule	, ižvy	H.
	of membership fees for at least the first three years of operation.		
54.	Copies of the proposed developer's agreement, if any.	N/A.	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
L 04.	L'entres et me biobosen nevelober s'agreement it any.	1 4// 1 +	<u> </u>

4 - 41

ſ

14 14

r⊊³,

 $\leqslant r_{s_2}$

55. ^	Engineer's estimate and letter itemizing all elements covered under the performance bond.	7	*	
56.	Letter certifying conformance to Preliminary Site Plan by	٧, '		, ,
·57.	CD containing electronic copies of plans in CAD format and copies of reports and studies where applicable.	* \ \	ų	Tan
58.	Evidence of fulfillment of growth share affordable housing obligations pursuant to Ordinance 190-32.1 and 190-100C	N/A		
. 59.	Copies of all permits issued by other agencies having jurisdiction.	√ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		4 9
60.	Evidence of the payment of off-tract/off-site pro rata share contributions.	N/A		
61.	Comparison reports, stating differences between the final plan and the plan receiving preliminary approval.	1		
62.	Evidence of payment of mandatory development fees pursuant to Ordinance §190-32.2.	, N/A		
63.3	The location and use of all property to be reserved by covenant in the deed for the common use of all property owners or otherwise.	N/A		
64.	Three copies of the appropriate application form(s), completely filled in. If any item is not applicable to the Applicant, it should so be indicated on the application form(s). If completeness waivers are sought, explain, in writing, why waivers should be granted.	· √	9	ć