


CIVIL ENGINEERING
ENVIRONMENTAL
SURVEYING
LANDSCAPE ARCHITECTURE
GEOTECHNICAL

ENVIRONMENTAL IMPACT STATEMENT

248 Stickles Pond Road
Block 151 Lot 21
Andover Township,
Sussex County,
New Jersey

Prepared For:
BHT Properties Group
5081 SW 48th Street, 1023
Davie, Florida 33314

December 12, 2019
Revised January 26, 2021



Wayne Ingram, P.E., P.P., P.L.S
New Jersey Professional Engineer
License No. 24GB04258200

Celebrating
20
2000-2020
*Expertise
Innovation
Solutions*



Headquarters
140 West Main Street | High Bridge, NJ 08829
T: 908.238.0544

Clinton | Asbury Park | Denville | Philadelphia

TABLE OF CONTENTS

1.	Introduction.....	3
2.	EXISTING ENVIRONMENTAL CONDITIONS.....	4
2.1	Phase I Environmental Site Assessment.....	4
2.2	Topography.....	4
2.3	Air Quality.....	4
2.4	Noise Levels.....	4
2.5	Water Supply And Water Quality.....	4
2.6	Drainage.....	5
2.7	Critical Impact Areas.....	5
2.8	Sewer Systems And Utilities.....	6
2.9	Geology.....	6
2.10	Soils And Slope Stabilities.....	6
2.11	Vegetation.....	7
2.12	Land Use And Demography.....	7
2.13	Aesthetics.....	7
2.14	History.....	7
3.	PROBABLE IMPACTS & MITIGATION.....	8
3.1	Topography.....	8
3.2	Air Quality.....	8
3.3	Noise Levels.....	8
3.4	Water Supply And Freshwater Wetlands Protection.....	8
3.5	Drainage And Floodplain Protection.....	8
3.6	Sewer Systems And Utilities.....	9
3.7	Geology Stability.....	9
3.8	Soil Stability And Erosion Control.....	9
3.9	Vegetation.....	9
3.10	Land Use And Demography.....	9
3.11	Aesthetics.....	9
3.12	History.....	9
3.13	Displacement Of People And Businesses.....	10
3.14	Marketability Of Proposed Use.....	10
3.15	Disruption Of Desirable Community And Regional Growth.....	10
3.16	Spill Protection Measures.....	10
3.17	Police And Fire Protection And Emergency Health Services.....	10



3.18	Traffic.....	10
3.19	Solid Waste Generation and Disposal.....	10
3.20	Construction Impact.....	10
4.	ALTERNATIVES ANALYSIS.....	11
4.1	No Build Option.....	11
4.2	Less Intensive Option.....	11
4.3	More Intensive Option.....	11
5.	LICENSES, PERMITS & APPROVALS.....	11
6.	DOCUMENTATION.....	11

LIST OF APPENDICES

- Appendix A: Preliminary & Final Site Plans (Attached Separately)
 Appendix B: Stormwater Management Report (Attached Separately)

LIST OF FIGURES

- Figure 1: USGS Map
 Figure 2: Zoning Map
 Figure 3: USDA Web Soil Survey Map
 Figure 4: NJDEP Wetlands Existing Conditions Plan



1. INTRODUCTION

Engineering & Land Planning Associates, Inc. has prepared this Environmental Impact Statement (EIS) on behalf of BHT Properties Group. This EIS has been prepared in accordance with the requirements of Section 131-13, the Environmental Impact Statement Ordinance. The EIS provides an inventory of existing natural resources, an assessment of the environmental impacts of the proposed project, environmental protective measures, and lists unavoidable adverse impacts should the project be implemented per the ordinance.

The proposed project consists of the construction of a construction office with construction equipment and material storage areas on the property located on 248 Stickles Pond Road, on Lot 151, Block 21 in Andover Township, Sussex County, New Jersey. The 100-acre subject property currently consists of a former airport. The proposed project consists of the demolition of hangars, paved drives, concrete pads, three dwellings, two garages, and three sheds. The existing 112,050 square foot asphalt runway is to remain. The proposed construction consists of a 12,860 square foot building, 2,883 square feet of concrete sidewalk and curbing, lighting and landscape improvements, 35,235 square feet to be paved with asphalt for parking and circulation and 1,822,812 square feet to be paved with asphalt millings and used as construction equipment and material storage area. The materials to be stored in site are stone, aggregate, precast concrete structures and other typical natural construction materials.

The significant findings of the EIS include the following:

1. The purpose of the project is to construct a construction office with construction equipment and material storage areas and parking spaces. This new facility is proposing an approved use of the Township Zoning Ordinance.
2. The potential for soil erosion during the construction process would be minimized through the implementation of a soil erosion and sediment control plan.
3. The proposed development includes a proposed stormwater management system that meets all of the quantity, quality, and recharge requirements outlined in Stormwater Management Rules of N.J.A.C. 7:8.
4. The increase in municipal services, including the anticipated water and wastewater demand will be accommodated by the installation of a well and septic system by the proposed building.

In summary, it is anticipated that the proposed site improvements can be implemented without creating any appreciable adverse environmental impacts. If environmental impacts are incurred, appropriate mitigation measures will be implemented.



2.6 Drainage

Stormwater run-off follows the surface topography and flows across the site to either the Pequest River tributary or Stickle Pond, as well as draining into the wetlands on and off site. There are no existing stormwater conveyance on the site that collects the generated stormwater runoff.

2.7 Critical Impact Areas

The township identifies areas of significant concern as stream corridors, streams, wetlands, slopes greater than 15%, highly acidic or erodible soils, areas of high-water table, mature strands of native vegetation, aquifer recharge and discharge areas.

NJDEP GeoWeb indicates a Total Maximum Load (TDML) Streamshed for Phosphorous to Address Four Impaired Assessment Units in the Pequest River Watershed, dated 2010 at Pequest River (above Brighton).

Five separate wetlands appear to be completely within the property lines with two other wetlands partially on the site, as seen on Figure 4: NJDEP Wetlands Ex. Conditions Plan. NJDEP GeoWeb lists a 1.4-acre Deciduous Wooded Wetlands is located in the western region on-site and a 0.70-acre Deciduous Scrub/Shrub Wetlands is located on-site at the eastern corner of the property. The wetlands found partially within the property boundary are listed as 4.36-acre Deciduous Wooded Wetlands and 5.81-acre Deciduous Scrub/Shrub Wetlands.

This property is part of the State Planning Area for Limited Growth identified as a Rural Environmentally Sensitive Planning Area, meaning environmental constraints affect development. As part of the NJ Wildlife Action Plan, this site is falls within the Skylands Landscape Region. The site is within a 1,336-acre Vernal Habitat Area with a Vernal Pool Location on site in the western region of the site, at the previously described Deciduous Wooded Wetlands.

Five separate groundwater recharge areas are found within the property boundaries. The Northwest Upper Delaware watershed recharge area found at the northern, eastern, and southwestern portions of the site has a "B" Groundwater Recharge Ranking. The Northwest Upper Delaware watershed recharge area found along the western and northeastern edges of the property has an "A" Groundwater Recharge Ranking. The Northwest Upper Delaware watershed found at the center of the site has a "D" Groundwater Recharge Ranking. The Northwest Upper Delaware watershed recharge areas found at the locations of the wetlands have a "W" Groundwater Recharge Ranking, which is identified as wetlands, open water- no recharge calculated and an "L" Groundwater Recharge Ranking, which is identified as hydric soil-no recharge calculated.

NJDEP GeoWeb lists three bedrock aquifers within the boundaries of the site, Jacksonburg Limestone, Kittatinny Supergroup, and Hardyston Quartzite.



other impervious surfaces over loamy till derived from limestone and dolomite. This soil complex is classified as Hydrologic Soil Group D.

2.11 Vegetation

The property is a mixture of open grasslands and dense woods. Generally, the flatter areas are covered by the grasslands and the steeper areas to the west and north are wooded. The vegetated areas are identified as deciduous forest with greater than 50% Crown Closure and deciduous brush and shrubland with some of the clearing identified as cropland and pastureland for former agriculture use.

2.12 Land Use and Demography

The property is located in the C/I Zone of Andover Township and currently consists of a former airport. The property is surrounded by farmlands to the northwest, more dense undeveloped woods and a religious center to the north, and light residential development and few businesses in all other directions. The demographics of the property and the surrounding area is consistent with the demographics of the Township as a whole. The land use is consistent with the Commercial/Industrial zone

2.13 Aesthetics

The 100-acre property is mostly wooded but currently contains an unused 112,050 square foot runway from the former airport. At the eastern corner of the property are several unused buildings, including three unoccupied residences known as 210 Stickles Pond Road, 214 Stickles Pond Road, and 216 Stickles Pond Road. The other unnecessary structures remaining on the property consist of two garages and three sheds.

2.14 History

The property does not contain any historic buildings or resources.



east of the proposed building. The proposed septic system shall be constructed in compliance with the N.J.D.E.P. N.J.A.C. 7:9A, Standards for Individual Subsurface Sewage Disposal Systems and will consist of a septic tank, pump tank, and disposal field.

The project consists of a proposed electric service connection to the utility poles located along Stickles Pond Road, as shown in Appendix A. A will-serve letter from Jersey Central Power and Light is being sought.

3.7 Geology Stability

The proposed development will have minimal impact on site geology.

3.8 Soil Stability and Erosion Control

There is the potential for short term unavoidable impacts to soil erosion at the site during construction activities. The project will follow all procedures set to minimize soil erosion on and surrounding the site.

Cut and fill of soil on the site is to remain as balanced as possible. The proposed limit of disturbance for the construction of the facility and the proposed grading is 59.79 acres (2,604,395 square feet) and will be kept at a minimum. Locations of proposed silt fencing, a proposed temporary soil stockpile, and recommended soil compaction testing are shown on Erosion & Sediment Control Plan in Appendix A.

3.9 Vegetation

The property contains densely wooded areas that will be altered as part of the development. This tree removal and tree protection will be mitigated in accordance with the Township tree removal ordinance of on-site tree replacement.

3.10 Land Use and Demography

The proposed use of a construction office with construction equipment and material storage areas is an approved use of the commercial industrial zoning district. The property meets the Township requirements for this zone: the facility will fall on a lot size greater than 3 acres and proposes less than 60% impervious surface coverage.

3.11 Aesthetics

The proposed development has been designed to be aesthetically pleasing with adequate lighting. The development will include a Lighting and Landscaping Plan, as seen in Appendix A.

3.12 History

No impacts are anticipated to any historic resources.



Township's ordinance. Appropriate measures will be taken in accordance to the approved Soil Erosion and Sediment Control to control potential erosion and dust generated during construction.

The construction activities and equipment are to be kept within the property boundaries so that impacts on the surrounding properties are avoided. The proposed grading for the development shall be completed in phases, so that the overall grading improvements within the proposed limits of disturbance are not taking place at once. The construction equipment will be relocated as necessary. Permanent covers will be installed to the areas disturbed before moving construction equipment onto the sequential phase of grading.

4. ALTERNATIVES ANALYSIS

4.1 No Build Option

A no build option was considered as part of this alternatives analysis. This would not allow the property owner to realize the economic potential of the property. There would be no new impacts as a result of this option because there would be no changes to the property.

4.2 Less Intensive Option

A less intensive development was considered for the property. This alternative includes less disturbance and less impervious cover. This alternative would result in a slightly reduced footprint of development. However, the property and its surroundings can support the larger development and the reduction in size impacts the economic viability of the project.

5. LICENSES, PERMITS & APPROVALS


- Sussex County Planning Board Approval
- NJDEP DLUR Freshwater Wetlands Permits
- NJDEP DLUR Flood Hazard Area Verification



6. DOCUMENTATION

The Township of Andover Ordinances were reviewed as part of the preparation of this report. GIS mapping as provided by the NJDEP through its GeoWeb service was consulted during the preparation of the report. United States Environmental Protection Agency Air Quality Data was consulted for 2019 Air Quality Index. Additionally, the applicant was consulted throughout the design process.



FIGURES





TITLE:

USGS MAP



140 WEST MAIN STREET HIGH BRIDGE, NJ 08829
 (908) 238-0544 FAX: (908)238-9572
 C.O.A. #: 24GA28021500
 A PROFESSIONAL ASSOCIATION

LOCATION:

248 STICKLES POND RD
 BLOCK 151 LOT 21
 ANDOVER TOWNSHIP
 SUSSEX COUNTY, NJ

DATE: 9/6/2019



PROJECT NO.: 0119134

FILENAME: USGS.DWG

FIGURE No.


1

REFERENCES: USGS NEWTON WEST QUAD



TITLE:

ZONING MAP



140 WEST MAIN STREET HIGH BRIDGE, NJ 08829
 (908) 238-0544 FAX: (908)238-9572
 C.O.A. #: 24GA28021500
 A PROFESSIONAL ASSOCIATION

LOCATION:

248 STICKLES POND RD
 BLOCK 151 LOT 21
 ANDOVER TOWNSHIP
 SUSSEX COUNTY, NJ

DATE: 9/6/2019

PROJECT NO.: 0119134

FILENAME: ZONING.DWG

FIGURE No.

2

REFERENCES: TOWNSHIP OF ANDOVER TAX MAP SHEETS 21, 21.01, 22, & 24




SOILS

FaxC: FARMINGTON-ROCK OUTCROP COMPLEX, 0 TO 15 PERCENT SLOPES

HdxpAb: HAZEN-PAULINS KILL COMPLEX, 0 TO 3 PERCENT SLOPES, VERY STONY

USFARC: URBAN LAND-FARMINGTON-ROCK OUTCROP COMPLEX, 0 TO 15 PERCENT SLOPES



SOURCE: WEB SOIL SURVEY

TITLE:

SOIL MAP



140 WEST MAIN STREET HIGH BRIDGE, NJ 08829
(908) 238-0544 FAX: (908)238-9572
C.O.A. #: 24GA28021500

A PROFESSIONAL ASSOCIATION

LOCATION:

248 STICKLES POND RD
BLOCK 151 LOT 21
ANDOVER TOWNSHIP
SUSSEX COUNTY, NJ


DATE: 9/6/2019

PROJECT NO.: 0119134






FILENAME: SOIL.dwg


FIGURE No.


3



LEGEND


-  PROPERTY LINE (TYP.)
-  WETLANDS BOUNDARY LINE (TYP.)
-  WETLANDS TRANSITION AREA BOUNDARY LINE (TYP.)
-  WETLANDS AREA ON SITE
-  PHOTO LOCATION (TYP.)



TITLE:		NJDEP WETLANDS EX. CONDITIONS PLAN	
		140 WEST MAIN STREET CLINTON TOWNSHIP, NJ 08829	
		(908) 238-0544 FAX: (908)238-9572	
		C.O.A. #: 24GA28021500	
		A PROFESSIONAL ASSOCIATION	
LOCATION:	DATE:	9/6/2019	FIGURE No.
248 STICKLES POND ROAD BLOCK 151 LOT 21 ANDOVER TOWNSHIP SUSSEX COUNTY NEW JERSEY	PROJECT NO.:	0119134	4
	FILENAME:	WETLANDS.DWG	

**APPENDIX A: SITE PLANS
(ATTACHED SEPARATELY)**





**APPENDIX B: STORMWATER
MANAGEMENT REPORT
(ATTACHED SEPARATELY)**

